

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3307	Three Fathom Ledge Isolated Danger Lighted Buoy DTF East of 16 foot ledge.	43 54 18 N 68 42 05 W	Fl (2) W 5s		6	Black over red with two (2) black spherical topmarks.	5/01
*Change Heading and Note to Read: *Allen Harbor Entrance <i>*Aids maintained from Jun. 15 to Oct. 1.</i>							
14085	- BREAKWATER LIGHT	41 39 36 N 70 05 24 W	Q G	20		On tower.	Private aid. 5/01
*17497	- Channel Buoy 15A	41 30 38 N 71 05 43 W				Green can.	5/01
17500	- Channel Buoy 16	41 30 43 N 71 05 44 W				Red nun.	5/01
		*					5/01
*17507	- Channel Buoy 18	41 30 47 N 71 05 43 W				Red nun.	5/01
*17517	- Channel Buoy 21	41 30 54 N 71 05 36 W				Green can.	5/01
17520	- Channel Buoy 23					Green can.	5/01
	*					*	5/01
*17522	- Channel Buoy 24					Red nun.	5/01
17525	- Channel Daybeacon 26	41 31 01 N 71 05 07 W				Red nun.	5/01
	*	*				*	5/01
*17527	- Channel Daybeacon 27	41 31 01 N 71 04 53 W				SG on pile.	5/01
17530	- Channel Buoy 29					Green can.	5/01
	*						5/01
17535	- Channel Buoy 31					Green can.	5/01
	*						5/01
17540	- Channel Buoy 32					Red nun.	5/01
	*						5/01
17545	- Channel Buoy 34					Red nun.	5/01
	*						5/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3577	Pier 34 Wreck Lighted Buoy WR3		FI W 10s		Green.		Private aid. 5/01
8025	- Lighted Buoy 5		FI G 6s		4 Green.		Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. * 5/01
8030	- Lighted Buoy 6		FI R 6s		4 Red.		Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. * 5/01
8646	- Lighted Buoy 2		FI R 4s		4 Red.		Replaced by nun from Dec. 1 to Mar. 15. * 5/01
8650	- Lighted Buoy 3		FI G 6s		4 Green.		Replaced by can from Dec. 1 to Mar. 15. * 5/01
8655	- Lighted Buoy 4		FI R 6s		4 Red.		Replaced by nun from Dec. 1 to Mar. 15. * 5/01
8660	- Lighted Buoy 5		FI G 4s		4 Green.		Replaced by can from Dec. 1 to Mar. 15. * 5/01
8665	- Lighted Buoy 6		FI R 4s		4 Red.		Replaced by nun from Dec. 1 to Mar. 15. * 5/01
8670	- Lighted Buoy 7		FI G 4s		4 Green.		Replaced by can from Dec. 1 to Mar. 15. * 5/01
8675	- Lighted Buoy 8		Q R		4 Red.		Replaced by nun from Dec. 1 to Mar. 15. * 5/01
8690	- Lighted Buoy 9	39 16 59 N 76 14 14 W	FI G 2.5s		4 Green.		Replaced by can from Dec. 1 to Mar. 15. * 5/01
8935	- SOUTH RANGE FRONT LIGHT	39 22 12 N 76 05 00 W	F W	71	On skeleton tower.		Lighted throughout 24 hours. * 5/01
8940	- SOUTH RANGE REAR LIGHT 3,739 yards, 222.5° from front light.		Iso R 6s	184	On skeleton tower.		Lighted throughout 24 hours. * 5/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22760	- LIGHT 5	37 50 05 N 75 58 47 W	FI G 4s	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					5/01
22770	- LIGHT 7	37 49 58 N 75 59 01 W	FI G 4s	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					5/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Biscayne Bay							
48580	- Daybeacon 65	25 45 24 N 80 11 03 W				SG-SY on pile.	
		*					5/01
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
907	<i>McMoran-113-18</i> <i>Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i>
							* 5/01
951.7	<i>Transworld-102-11</i> <i>Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i>
							* 5/01
4370	- Daybeacon 6					TR on pile.	Ra ref.
							* 5/01
*Add Heading: *Santa Rosa Sound							
*31547	- LIGHT 140 75 feet outside channel limit.	30 20 49 N 87 09 26 W	FI R 4s	17	3	TR-TY on pile.	Ra ref.
							5/01
*31548	- LIGHT 141 75 feet outside channel limit.		FI G (2) 5s	17	3	SG-SY on pile.	Ra ref.
							5/01
*Delete Heading: *Santa Rosa Sound							
31550	- LIGHT 142	30 20 32 N 87 10 00 W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
		*					* 5/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4025	- HARBOR ENTRANCE LIGHT 2	36 48 18 N 121 47 24 W	Oc R 4s	22	4	TR on pile.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates continuously. Ra ref.
					*		5/01
Southampton Shoal Channel							
5640	- Lighted Buoy 1	37 53 25 N 122 25 13 W	FI G 4s		4	Green.	
		*					5/01
5645	- Lighted Buoy 2	37 53 26 N 122 25 04 W	FI R 2.5s		3	Red.	
		*					5/01
*5650	- Lighted Buoy 3	37 54 13 N 122 25 22 W	FI G 2.5s		4	Green.	
							5/01
5655	- Lighted Buoy 4	37 54 14 N 122 25 12 W	FI R 4s		4	Red.	
		*					5/01
*5657	- Lighted Buoy 5	37 54 58 N 122 25 31 W	FI G 4s		4	Green.	
							5/01
*5659	- Lighted Buoy 6	37 54 58 N 122 25 11 W	FI R 2.5s		3	Red.	
							5/01
5660	- Lighted Buoy 7	37 55 29 N 122 25 37 W	FI G 2.5s		4	Green.	
	*	*					5/01
*Delete Heading: *Richmond-San Rafael Bridge East Channel							
5770	- Lighted Buoy 1						Remove from list.
						*	5/01
*Add Heading: *Richmond-San Rafael Bridge East Channel							
5775	Castro Rocks Lighted Buoy 2CR	37 55 54 N 122 25 18 W	FI R 4s		3	Red.	
							5/01
10225	- Channel Lighted Buoy 10	46 15 28 N 123 38 56 W	Q R		4	Red.	
		*					5/01
10300	Jim Crow Lighted Buoy 21	46 15 33 N 124 33 03 W	Q G		3	Green.	
		*					5/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11210	- DIKE LIGHT 40	45 39 52 N 122 46 15 W	FI R 4s	15	4	TR on pile.	
		*					5/01
14865	- LIGHT 4	45 38 51 N 122 46 19 W	FI R 4s	10	4	TR on dolphin.	
		*					5/01
17275	<i>Eagle Island Reef Lighted Buoy 3</i>	47 11 26 N 122 42 01 W	FI G 2.5s		3	Green.	Ra ref.
		*					5/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.